

इंटरनेट

मानक

### Disclosure to Promote the Right To Information

Whereas the Parliament of India has set out to provide a practical regime of right to information for citizens to secure access to information under the control of public authorities, in order to promote transparency and accountability in the working of every public authority, and whereas the attached publication of the Bureau of Indian Standards is of particular interest to the public, particularly disadvantaged communities and those engaged in the pursuit of education and knowledge, the attached public safety standard is made available to promote the timely dissemination of this information in an accurate manner to the public.

“जानने का अधिकार, जीने का अधिकार”

Mazdoor Kisan Shakti Sangathan

“The Right to Information, The Right to Live”

“पुराने को छोड़ नये के तरफ”

Jawaharlal Nehru

“Step Out From the Old to the New”

IS 6950 (1973): Pig Hooks [FAD 18: Slaughter House and Meat Industry]



“ज्ञान से एक नये भारत का निर्माण”

Satyanarayan Gangaram Pitroda

“Invent a New India Using Knowledge”



“ज्ञान एक ऐसा खजाना है जो कभी चुराया नहीं जा सकता है”

Bhartrhari—Nitiśatakam

“Knowledge is such a treasure which cannot be stolen”




BLANK PAGE





*Indian Standard*  
**SPECIFICATION FOR  
PIG HOOKS**

1. **Scope** — Requirements in respect of material, dimensions, strength, etc., of S-shaped pig hooks.
2. **Material** — Stainless steel (round) conforming to IS: 1570-1970 'Schedules for wrought steels for general engineering purposes' or mild steel, galvanized conforming to IS: 277-1969 'Specification for galvanized steel sheets (plain and corrugated) (second revision)'.
3. **Dimensions** — Dimensions of S-shaped pig hooks shall be as given in Fig. 1.



All dimensions in millimetres.  
FIG. 1 DIMENSIONS OF S-SHAPED PIG HOOKS

#### 4. Requirements

- 4.1 The weight of a hook shall be  $185 \text{ g} \pm 5 \text{ percent}$ .
- 4.2 The hook shall not bend when a load of 120 kg is applied.

5. **Workmanship and Finish** — The hook shall be free from flaws, burrs, pits and sharp edges and should be of uniform weight.

6. **Marking** — Manufacturer's name or trade-mark and batch or code number embossed at a convenient place.

6.1 *ISI Certification Marking* — Details available with the Indian Standards Institution, New Delhi 110001.

7. **Packing** — The hooks shall be packed in wooden boxes or as agreed to between the manufacturer and the purchaser.

8. **Sampling** — The method of drawing representative samples of pig hooks and the criteria for conformity shall be as given in Appendix A of IS: 6628-1972 'Specification for slide rails for use in abattoirs'.

#### EXPLANATORY NOTE

Pig hooks are used for hanging portions of carcasses in cold stores, in meat shops and for transporting carcasses in refrigerated trucks.

Adopted 30 April 1973

© August 1973, ISI

**Gr I**